

PATENT ABSTRACTS OF JAPAN

(11)Publication number : 2002-283699

(43)Date of publication of application : 03.10.2002

(51)Int.Cl.

B41M 5/00

B41J 2/01

C08F 8/12

C08F 8/28

C08F 10/02

C08F 18/08

(21)Application number : 2001-082665

(71)Applicant : KONICA CORP

(22)Date of filing : 22.03.2001

(72)Inventor : NAKAJIMA AKIHISA

UEDA EIICHI

ONUMA KENJI

KURACHI IKUO


(54) INK JET RECORDING MEDIUM

(57)Abstract:

PROBLEM TO BE SOLVED: To provide an ink jet recording medium capable of coating and manufacturing in a water series and being not liable to adhere a fingerprint and having a high water resistance.

SOLUTION: The ink jet recording medium comprises an ink jet image acceptable layer containing a compound represented by formula (1) as at least its constituent unit, wherein R is a fatty acid group or an aromatic group, a, b and c are each a value to become $0.05 < 2c / (a+b+2c) < 0.32$ by a molar ratio.

—式(1)



LEGAL STATUS

[Date of request for examination]

[Date of sending the examiner's decision of rejection]

[Kind of final disposal of application other than the examiner's decision of rejection or application converted registration]

[Date of final disposal for application]

[Patent number]

[Date of registration]

[Number of appeal against examiner's decision
of rejection]

[Date of requesting appeal against examiner's
decision of rejection]

[Date of extinction of right]

Copyright (C); 1998,2003 Japan Patent Office


(Translation done.)

1. This document has been translated by computer. So the translation may not reflect the original precisely.
2. *** shows the word which can not be translated.
3. In the drawings, any words are not translated.

{Claim(s)}

[Formula 1]


一般式(1)



[Claim 2] The ink jet record medium characterized by having the compound which has the following general formula (2) as the configuration unit at least in the ink jet television layer on a base material,

[Formula 2]


一般式(2)



[Claim 4] The ink jet record medium characterized by having the compound which has the following general formula (3) as the configuration unit at least in the ink jet television layer on a base material.

[Formula 3]

一般式(3)



[Claim 5] The ink jet record medium according to claim 4 with which the value of g of a general formula (3) is characterized by 1 - 24-mol being %.

BEST AVAILABLE COPY